

Facet Fuel Pumps


Certified & Complies with EEC 95/54 Requirements

Cube Pump

E10-E85
Compatible



Part Number	SS500	SS501	SS502	SS503
Specification	Road	Road	Fast Road	Competition
Pump	40104	40105	40106	40107
Voltage	12v	12v	12v	12v
Earth	Neg	Neg	Neg	Neg
Pressure (Psi)	1.5-4.0	3.0-4.5	4.5-7.0	7.0-10.0
Flow:- US Gallons/Hr	25	30	32	34
Dry Prime				
Height in Mtrs	0.3	0.3	0.3	0.3
Thread Size nptf	1/8th	1/8th	1/8th	1/8th
Operating Temperature	-40° F to 180° F (all Models)			
Retail £	£34.81	£33.15	£33.68	£38.05




Cube Pump (inc Check Valve)

E10-E85
Compatible



Part Number	SS254	SS288	SS289
Specification	Road	Road	Fast Road
Pump	40254	40288	40289
Voltage	12v	12v	12v
Earth	Neg	Neg	Neg
Pressure (Psi)	1.5-4.0	3.0-4.5	4.5-7.0
Flow:- US Gallons/Hr	25	30	32
Dry Prime			
Height in Mtrs	0.6	0.6	0.6
Thread Size nptf	1/8th	1/8th	1/8th
Operating Temperature	-40° F to 180° F (all Models)		
Retail £	£40.59	£40.52	£41.43



Note:- Not recommended for use with motorcycle race engines.

Facet Fuel Pumps

Certified & Complies with EEC 95/54 Requirements

Posi-Flow Fuel Pump

E10-E85
Compatible



Part Number	60104	60106	60107
Pump	Posi-Flow	Posi-Flow	Posi-Flow
Voltage	12v	12v	12v
Earth	Neg	Neg	Neg
Pressure (Psi)	1.5-4.0	4.0-7.0	7-10
Flow:- US Gallons/Hr	25	32	34
Dry Prime			
Height in Mtrs	0.3	0.3	0.3
Thread Size nptf	1/8th	1/8th	1/8th
Operating Temperature	-40° F to 180° F		
Union Size mm			
Power Range (BHP)	150	180	200
Retail £	£29.02	£28.48	£31.46



Posi-Flow Fuel Pump (Inc Check Valve)



E10-E85
Compatible

Part Number	60300	60301	60302
Pump	Posi-Flow	Posi-Flow	Posi-Flow
Voltage	12v	12v	12v
Earth	Neg	Neg	Neg
Pressure (Psi)	1.5-4.0	3.5-5.0	5.0-7.0
Flow:- US Gallons/Hr	25	30	33
Dry Prime			
Height in Mtrs	1.27	1.27	1.27
Thread Size nptf	1/8th	1/8th	1/8th
Operating Temperature	-40° F to 180° F		
Union Size mm			
Power Range (BHP)	150	180	200
Retail £	£33.52	£32.96	£34.76



Note:- Not recommended for use with motorcycle race engines.

Facet Pump Box Kits

Certified & Complies with EEC 95/54 Requirements

Cube Pump - Box Kit

E10-E85
Compatible



Part Number	40105-K	40106-K	40185-K
Specification	Road	Fast Road	Competition
Pump	40105	40106	40107
Voltage	12v	12v	12v
Earth	Neg	Neg	Neg
Pressure (Psi)	3.0-4.5	4.5-7.0	7.0-10.0
Flow:- US Gallons/Hr	30	32	34
Dry Prime			
Height in Mtrs	0.3	0.3	0.3
Thread Size nptf	1/8th	1/8th	1/8th
Operating Temperature	-40° F to 180° F (all Models)		
Power Range (BHP)	>130	>150	>180
Retail £	£44.95	£45.54	£50.49



Pump Kit Contains:- Pump, Union, Filter Union & Mounting Kit

Cylindrical Pump - Box Kit

E10-E85
Compatible



Part Number	476087-K	480530-K	480532-K	480532-8K	480534-K
Specification	Road	Fast Road	Competition	Competition	Historic
Pump	476087E	476459E	480532E	480532E	480534E
Voltage	12v	12v	12v	12v	12V
Earth	Neg	Neg	Neg	Neg	Neg
Pressure (Psi)	4.0-5.5	6.5-8.0	6.5-8.0	6.5-8.0	6.0-8.0
Flow:- US Gallons/Hr	36	32	45	45	45
Dry Prime Height in Mtrs	0.6	0.6	0.6	0.6	0.6
Thread Size nptf	1/8th	1/8th	1/4tr	1/4tr	1/4tr
Operating Temperature	-40° F to 180° F (all Models)				
Union size	8mm	8mm	10mm	8mm	10mm
Power Range (BHP)	>150	>200	200+	200+	200+
Retail £	£79.00	£81.20	£85.00	£86.90	£92.70

Pump Kit Contains:- Pump, Unions, Mounting Kit & Spare Filter



Facet Fuel Pumps

Certified & Complies with EEC 95/54 Requirements

Cylindrical Pump

E10-E85
Compatible



Part Number	STS504	STS504D	STC505	RTW506	BTP001
Specification	Silver Top Road	Silver Top Diesel	Silver Top Fast Road	Red Top Competition	Blue Top
Pump	476087E	476087E	476459E	480532E	480534E
Voltage	12v	12v	12v	12v	12v
Earth	Neg	Neg	Neg	Neg	Neg
Pressure (Psi)	4.0-5.5	4.0-5.5	6.5-8.0	6.5-8.0	6.0-8.0
Flow:- US Gallons/Hr	30	30	35	40	40
Dry Prime					
Height in Mtrs	0.6	0.6	0.6	0.6	0.6
Thread Size nptf	1/8th	1/8th	1/8th	1/4tr	1/4tr
Operating Temperature	-40° F to 180° F (all Models)				
Power Range (BHP)	>150		>200	200+	200+
Retail £	£64.98	£77.10	£67.85	£71.30	£79.50



Cylindrical Pump

Inc One-Way Valve



Part Number	40159
Specification	Refrigeration
Pump	40159
Voltage	12v
Earth	Neg
Pressure (Psi)	8.0 Min
Flow:- US Gallons/Hr	23
Dry Prime	
Height in Mtrs	0.6
Thread Size nptf	1/8th
Operating Temperature	-40° F to 180° F
Retail £	£90.51

E10-E85
Compatible



Posi-Flow Fuel Pump Kits

Clamshell Kit



Part Number	FEP04SV	FEP06SV
Clam Pack Pump+Unions	Yes	Yes
Pump	Posi-Flow	Posi-Flow
Voltage	12v	12v
Earth	Neg	Neg
Pressure (Psi)	1.5-4.0	4.0-7.0
Flow:- US Gallons/Hr	25	32
Dry Prime		
Height in Mtrs	0.3	0.3
Thread Size nptf	1/8th	1/8th
Operating Temperature	-40° F to 180° F	
Union Size mm	8	
Power Range (BHP)	150	180
Retail £	£33.40	£32.14

E10-E85
Compatible



Includes Pump, 8mm Straight Union & Filter Union

Facet Fuel Pumps

Certified & Complies with EEC 95/54 Requirements


Cube Pump

E10-E85
Compatible

Industrial 12v



Part Number	SS200	SS148	SS109	SS208
Pump	40200	40148	40109	40208
Voltage	12v	12v	12v	12v
Earth	Neg	Neg	Neg	Neg
Pressure (Psi)	4.5-9.0	2.0-4.5	7.0-4.0	2.0
Flow:-US Gallons/Hr	32	24	32	14
Dry Prime				
Height in Mtrs	0.6	0.3	0.6	0.3
Thread Size nptf	1/8th	1/8th	3/8-18 Int	1/8th
Operating Temperature	-40° F to 180° F (all Models)			
Special features	Special Plating			
Shut Off valve	No	Yes	No	No
Check Valve	Yes	No	Yes	Yes
Retail £	£43.50	£47.07	£38.67	£75.68



Cube Pump

E10-E85
Compatible

Clamshell Kit



Part Number	FEP42SV	FEP12SV
Specification	Road	Fast Road
Pump	40104	40106
Voltage	12v	12v
Earth	Neg	Neg
Pressure (Psi)	2.0-4.0	4.5-7.0
Flow:- US Gallons/Hr	25	32
Dry Prime		
Height in Mtrs	0.3	0.3
Thread Size nptf	1/8th	1/8th
Operating Temperature	-40° F to 180° F (all Models)	
Retail £	£38.18	£37.89



Includes Pump, 8mm Straight & Filter Union

Cylindrical Pump

E10-E85
Compatible

Clamshell Kit



Part Number	FEP87SV	FEP59SV	FEP60SV
Specification	Road	Fast Road	Road
Pump	476087E	476459E	477060E
Voltage	12v	12v	12v
Earth	Neg	Neg	Neg
Pressure (Psi)	4.0-5.5	6.0-7.0	4.0-2.75
Flow:- US Gallons/Hr	30	35	34
Dry Prime Height in Mtrs	0.6	0.6	0.6
Thread Size nptf	1/8th	1/8th	1/8th
Operating Temperature	-40° F to 180° F (all Models)		
Union size	8mm	8mm	8mm
Power Range (BHP)	>150	>200	>150
Retail £	£71.85	£72.70	£72.98



Includes Pump & 2 x 8mm 90 Degree Unions

Facet Pumps

Certified & Complies with EEC 95/54 Requirements

Cylindrical Pump

E10-E85
Compatible

Industrial 12v



Part Number	IP002	IP051
Pump	40002E	40051E
Voltage	12v	12v
Earth	Neg	Neg
Pressure (Psi)	2.75-4.0	6.5-8.0
Flow:- US Gallons/Hr	32	30
Dry Prime		
Height in Mtrs	0.6	0.6
Thread Size nptf	1/8th	1/8th
Operating Temperature	-40° F to 180° F (all Models)	
Retail £	£91.20	£91.02



Cylindrical Pump

E10-E85
Compatible

Industrial 12v



Part Number	IP131	IP220	IP543
Specification			
Pump	40131	40220E	480543E
Voltage	12v	12v	12v
Earth	Neg	Neg	Neg
Pressure (Psi)	4.0-5.5	4-5.5	8.0-6.0
Flow:- US Gallons/Hr	36	36	45
Dry Prime			
Height in Mtrs	0.6	0.6	0.6
Thread Size nptf	1/8th	1/4Npt	1/4Npt (Ext)
Operating Temperature	-40° F to 180° F (all Models)		
Retail £	£76.43	£91.78	£102.60




Cube Pump

E10-E85
Compatible

Industrial 12v



Part Number	SS135	SS171	SS185	SS277
Specification				
Pump	40135	40171	40185	40277
Voltage	12v	12v	12v	12v
Earth	Neg	Neg	Neg	Neg
Pressure (Psi)	4.5-6.0	3.5-2	11.5-9	12-15
Flow:- US Gallons/Hr	32	15	32	50
Dry Prime				
Height in Mtrs (ft)	0.3 (1ft)	0.3 (1ft)	1.0 (3ft)	1.5 (5ft)
Thread Size nptf	1/8th	1/8th	1/8th	1/8th
Positive Shut Off Valve	No	Yes	No	No
Check Valve	No	No	Yes	Yes
Operating Temperature	-40° F to 180° F			
Retail £	£45.09	£55.70	£50.95	£72.85



Facet Pumps

Certified & Complies with EEC 95/54 Requirements

Cylindrical Pump

E10-E85
Compatible

Industrial 24v



Part Number	IP010	IP128	IP251
Specification			
Pump	40010E	40128E	40251
Voltage	24v	24v	24v
Earth	Neg	Neg	Neg
Pressure (Psi)	6.0-8.0	6.0-8.0	4-5
Flow:-US Gallons/Hr	30	30	32
Dry Prime			
Height in Mtrs	0.6	0.6	0.6
Thread Size nptf	1/8th	1/4 Ext	1/8th
Operating Temperature	-60 to +43 deg C (all Models)		
Retail £	£98.46	£192.92	£97.13




Cube Pump

E10-E85
Compatible

Industrial 24v



Part Number	SS164	SS151	SS194
Specification			
Pump	40164	40151	40194
Voltage	24v	24v	24v
Earth	Neg	Neg	Neg
Pressure (Psi)	4.5-6.0	4.5-9.0	5.0-6.5
Flow:- US Gallons/Hr	32	32	23
Dry Prime			
Height in Mtrs	0.3	0.3	0.3
Thread Size nptf	1/8th	3/8th	1/8th
Operating Temperature	-40° F to 180° F (all Models)		
Retail £	£39.46	£43.89	£58.33



Cylindrical Pump

E10-E85
Compatible

Industrial 24v



Part Number	IP003	IP088	IP258	IP974
Specification				
Pump	477003	476088	40258N	477974
Voltage	24v	24v	24v	24v
Earth	Neg	Neg	Neg	
Pressure (Psi)	6.0-8.0	4.0-5.0	2.5-4.0	2.75-4.0
Flow:-US Gallons/Hr	30	32	32	32
Dry Prime				
Height in Mtrs	0.6	0.6	0.6	0.6
Thread Size nptf	1/8th	1/8th	1/8th	1/8
Suppressor			EMI	
Operating Temperature	-40° F to 180° F (all Models)			
Retail £	£74.18	£67.86	£175.38	£129.30



Facet Pumps

Certified & Complies with EEC 95/54 Requirements

Cylindrical Pump

Industrial 12 & 24v



E10-E85
Compatible

Part Number	IP360	IP410	IP411	IP517	IP883EMI
Specification					
Pump	478360	476410	476411	480517	477883E
Voltage	12v	12v	24v	24v	24v
Earth	Neg	Neg	Neg	Neg	Neg
Pressure (Psi)	4.0-5.5	4.0-5.5	4.0-5.0	6.0-8.0	4.0-5.0
Flow:- US Gallons/Hr	36	36	32	33	32
Dry Prime					
Height in Mtrs	0.6	0.6	0.6	0.6	0.6
Thread Size nptf	1/8th	1/8th	1/8th	1/4tr Male	1/8th
Operating Temp	-40° F to 180° F (all Models)				
Suppressor		Douglas	Douglas	Packard	Packard/emi
Retail £	£71.70	£153.70	£160.23	£186.66	£173.38




Facet 243 Fuel Pump Kit

E10-E85
Compatible



Part Number	PRO243-K
Pump Kit	
Specification	Road
Pump	PRO243
Voltage	12v
Earth	Neg
Pressure (Psi)	4.0-6.0
Flow:- Ltr/Min	1.6
Dry Prime	
Height in Mtrs	0.3
Operating Temp	-40° F to 180° F
Thread Size nptf	1/8th
Retail £	£29.80



Industrial Models

Facet Dura-Lift Pumps 12v

Certified & Complies with EEC 95/54 Requirements



Part Number	40222	40223	40285	40290
Specification				
Check Valve	Yes	Yes	Yes	Yes
Voltage	12	12	12v	12v
Earth	Neg	Neg	Neg	Neg
Pressure (Psi)	11.5-9	11.5-9	4.0-7.0	12.0-15.0
Flow:- US Gallons/Hr	33	33	33	50
Dry Prime				
Height in Mtrs (ft)	3.0(10ft)	3.0(10ft)	3.0(10ft)	1.5(5ft)
Thread Size nptf	1/8th	1/8th	1/8th	1/8th
Filter Micron	80	80	80	80
Loom Connector Block	None	Yes	Yes	None
Dimensions	180mm x 82mm			
Operating Temperature	-40° F to 180° F			
Weight	1.1kg			
Retail £	£87.90	£90.39	£106.50	£118.10



FPA924

Pt No	Description
FPA9001	Union 1/8th nptf - 6mm
FPA9002	Union 1/8th nptf - 10mm
FPA9011	Union 1/8th nptf - 8mm

Retail £
£2.95
£3.55
£2.65



Pt No	Description
FPA903A	1/8th nptf - 8mm
FPA903B	1/8th nptf - 6mm
FPA903C	1/8th nptf - 10mm
FPA924	Filter Element

Retail £
£1.22
£1.43
£1.51
£18.62



Facet Dura-Lift Pumps 24v

Certified & Complies with EEC 95/54 Requirements

Part Number	40237
Specification	
Check Valve	Yes
Voltage	24
Earth	Neg
Pressure (Psi)	11.5-9
Flow:- US Gallons/Hr	33
Dry Prime	
Height in Mtrs (ft)	3.0(10ft)
Thread Size nptf	1/8th
Filter Micron	80
Loom Connector Block	None Yes
Dimensions	180mm x 82mm
Operating Temperature	-40° F to 180° F
Weight	1.1kg
Retail £	£98.58



FPA924

Pt No	Description
FPA9001	Union 1/8th nptf - 6mm
FPA9002	Union 1/8th nptf - 10mm
FPA9011	Union 1/8th nptf - 8mm

Retail £
£2.95
£3.55
£2.65



Pt No	Description
FPA903A	1/8th nptf - 8mm
FPA903B	1/8th nptf - 6mm
FPA903C	1/8th nptf - 10mm
FPA924	Replacement Filter Element

Retail £
£1.22
£1.43
£1.51
£18.62



Special Edition Industrial Models

Stainless Steel Internals

Facet Dura-lift Fuel Pumps 12v

Certified & Complies with EEC 95/54 Requirements



Part Number	40303	40295
Specification		
Check Valve	Yes	Yes
Voltage	12	12
Earth	Neg	Neg
Pressure (Psi)	4.25-6.25	9-11.5
Flow:- US Gallons/Hr	33	33
Dry Prime		
Height in Inches	60"	60"
Thread Size nptf	1/8th	1/8th
Filter Micron	80	80
Loom Connector Block	None	None
Dimensions	180mm x 82mm	
Operating Temperature	-40° F to 180° F	
Retail £	£108.36	£108.36



Pt No	Description	Retail £
FPA9001	Union 1/8th nptf - 6mm	£2.95
FPA9002	Union 1/8th nptf - 10mm	£3.55
FPA9011	Union 1/8th nptf - 8mm	£2.65



Pt No	Description	Retail £
FPA903A	1/8th nptf - 8mm	£1.22
FPA903B	1/8th nptf - 6mm	£1.43
FPA903C	1/8th nptf - 10mm	£1.51
FPA924	Filter Element	£18.62




Stainless Steel

Facet Cube Fuel Pumps 12v

Certified & Complies with EEC 95/54 Requirements




Part Number	40311	40304
Specification		
Check Valve	Yes	Yes
Voltage	12v	12v
Earth	Neg	Neg
Pressure (Psi)	2-4	12-15
Flow:- US Gallons/Hr	28	50
Dry Prime		
Height in Inches	24"	50"
Thread Size nptf	1/8th	1/8th
Operating Temperature	-40° F to 180° F	
Retail £	£64.38	£64.38



Stainless Steel


Pump Accessories




Pt No	Description	Retail £
FPA9001	Union 1/8th nptf - 6mm	£2.95
FPA9002	Union 1/8th nptf - 10mm	£3.55
FPA9011	Union 1/8th nptf - 8mm	£2.65
FPA9021A	Union 1/4 nptf - 8mm	£3.15
FPA9021B	Union 1/4 nptf-10mm	£3.30




Pt No	Description	Retail £
FPA903A	1/8th nptf - 8mm	£1.22
FPA903B	1/8th nptf - 6mm	£1.43
FPA903C	1/8th nptf - 10mm	£1.51
FPA904A	1/4 nptf - 8mm	£2.30
FPA904B	1/4 nptf - 10mm	£2.57




Pt No	Description	Retail £
EA01	1/8th nptf - jic4	£3.75
EA02	1/8th nptf - jic6	£3.83
EA03	1/4 nptf - jic4	£3.97
EA04	1/4 nptf - jic6	£3.96
EA05	1/4 nptf - jic8	£4.32




Pt No	Description	Retail £
SA01	1/8 nptf - jic4	£2.85
SA02	1/8 nptf - jic6	£2.85
SA03	1/8 nptf - jic8	£3.56
SA04	1/4 nptf - jic4	£4.10
SA05	1/4 nptf - jic6	£3.90
SA06	1/4 nptf - jic8	£4.34
SA07	1/8 nptf - 1/4 bsp	£3.56



Pt No	Description	Retail £
FPA906	1/8th nptf-8mm Filter Union	£3.44
FPA930	1/8th nptf-8mm Filter Union	£4.48




Pt No	Description	Retail £
FPA908MB	Micro-Bond Filter Element	£14.50
FPA908W	400 Micron Filter Element	£8.80



Pt No	Description	Retail £
FPA908R	74 Micron Filter Element	£6.07
FPA908B	200 Micron Filter Element	£11.50



Pt No	Description	Retail £
FPA905	Facet Pump Mounting Kit	£4.95



Pt No	Description	Retail £
FPA923A	Spring 2-3 Psi (Cylindrical)	£2.97
FPA923B	Spring 4-5 Psi (Cylindrical)	£2.97
FPA923C	Spring 6-7 Psi (Cylindrical)	£2.97



Pt No	Description	Retail £
FPA913	Piston For 476087 (STS504)	£15.06
FPA914	Piston For 480532 (RTW506)	£16.87



Pt No	Description	Retail £
FPA912L	Low Flow Valve (Cylindrical)	£8.35
FPA912H	High Flow Valve (Cylindrical)	£10.08



Pt No	Description	Retail £
FPA42807	Bottom Cover & Lockwire	£9.67
FPA919	Bottom Cover	£8.40



Pt No	Description	Retail £
FPA987	Cable & Connector (476087)	£31.50




Pt No	Description	Retail £
FPA924	Dura Lift Filter Element	£18.62



Sytec
FUEL TECHNOLOGY

Sytec One Way Valves
See Page 52



Pt No	Description	Retail £
FPA909	Bottom Cover Seal (Cylindrical)	£3.28



Pt No	Description	Retail £
FPA911	F/V Securing Clip(Cylindrical)	£1.30



Pt No	Description	Retail £
FPA910	Base Cover Magnet(Cylindrical)	£4.20